# Specifications

General Specifications				
Туре	MV-E46WL			
Brightness	4.600 Lumens			
Display panel	3x0.59" with MLA			
Display technology	Liquid Crystal Display Technology			
Resolution	WXGA (1280x800)			
Light Source Life	20.000 Hours			
F	1.6-1.76			
f	19.158~23.018mm			
Zoom&Focus	Manual			
Throw ratio	1.48~1.78 : 1			
Zoom ratio	1.2x optics			
Screen size	30-300 inch			
Contrast ratio	5.000.000:1			
Noise (dB)	Normal: 37dB, ECO1: 30dB			
Aspect ratio	16:10 (standard); 4:3 (Compatible)			

Dimensions & Weight			
Dimension (WxDxH mm)	390*294*127		
Net. weight	5 Kg		


I/O	
VGA IN	*1
VGA OUT	*1
HDMI 1	*1
HDMI 2	*1
VIDEO IN	*1
AUDIO IN (mini jack, 3.5mm)	11
AUDIO IN (Audio L/R)	*1
USB-A (5VDC/1.5A)	*1
USB-B	*1
Rs232	*1
LAN	*1

Other Specifications				
Speaker	16W*1			
Power	100~240V@ 50/60Hz			
High altitude	1.700m-3.000m			
Keystone	V:±30° H:±30° 4-Conor			
360 Projection	Yes			

### MV-E46WL

	16:10 Aspect ratio							
Screen size (inch)	Width (H)	Height (B1+B2)	Height (B2)	Wide (AW)	Tele (AT)			
30	0.646	0.404	0.029	0.942	1.137			
40	0.862	0.538	0.038	1.265	1.524			
60	1.292	0.808	0.058	1.910	2.299			
70	1.508	0.942	0.057	2.232	2.685			
80	1.723	1.077	0.077	2.554	3.073			
90	1.939	1.212	0.087	2.877	3.461			
100	2.154	1.346	0.096	3.199	3.848			
120	2.585	1.615	0.115	3.844	4.623			
150	3.231	2.019	0.144	4.811	5.785			
200	4.308	2.692	0.192	6.423	7.721			
250	5.385	3.365	0.240	8.035	9.658			
300	6.462	4.039	0.288	9.647	11.595			

### **Projection Distance**





Contact Us:

### PT. MICROVISION INDONESIA

Komplek Perkantoran Multiguna Kemayoran Blok 5 OK Jl. Rajawali Selatan Raya Kavling C-5 No.2 Kel. Pademangan Timur. Kec. Pademangan Jakarta Utara, DKI Jakarta – 14410 Telp: 021-6412557





# MICROVISION LASER LIGHT SOURCE 3LCD PROJECTOR

www.microvision.co.id



### **Keystone Function**

H/V Keystone, 4-Corner correction. The adjustment operation is simple to ensure that users can obtain the best imaging effect on various irregular projection surfaces.

# Light Source Life: 20.000 Hours The actual service life of the laser light is affected by factors such as usage mode, environmental conditions, and user habits. For example, 8 hours a day, the projector can be used for estimated 7 years. Laser Lamp 0 Hour

16W Speakers with Outstanding Performance


The sound produced is very clear and provides an excellent listening experience. The sound produced can even cover a large





### WXGA Resolution

WXGA carries a resolution of 1280 x 800 pixels, the resolution of WXGA equals 1.024.000 pixels. The wider the projection view, the more real and eve-catching the resulting image will be.



### 1.2X Zoom Lens

It covers 1.2X zoom lenses, with a wider range of installation positions to suitable for various installation environments

## 5,000,000:1 Dynamic Contrast

Ensure that every detail of picture, including the dark parts of the picture, can fully express its level, bringing you rich and delicate visual enjoyement.

